## BURN<sup>™</sup>

## With ingredients that contribute to normal fat metabolism and help to control body weight.

4LifeTransform Burn is a patent-pending and proprietary thermogenic blend with key ingredientes that contribute to normal fat metabolism and support weight control, especially when combined with exercise and healthy eating.

DIRECTIONS: Take two (2) capsules daily with 250 ml of fluid. Take product five or more days per week. For best results, take one hour before exercise.

<b>Nutritional Information</b> Daily Serving Size: Two (2) capsules Daily Servings Per Container: 40		
Amount Per Daily Serving		% RI*
Citrus Fruits	500 mg	-
Synephrine	25 mg	
Coleus Forskohlii	250 mg	-
African Mango	150 mg	-
Dihydrocapsiate	1,5 mg	
*RI: Reference Intakes		

REINFORCE YOUR TRANSFORMATION GOALS: Try 4LifeTRANSFORM BURN combined with PRO-TF to support your body weight management program.

THE 4LIFETRANSFORM™ APP: Available for iOS and Android, the 4LifeTransform App can also help you, your customers, and your downline distributors meet your transformation goals.





FOOD SUPPLEMENT 80 CAPSULES • NET WT: 48,16 G

INGREDIENTS: Citrus (Citrus paradisi, Citrus sinensis and Citrus aurantium) fruits extract, Coleus forskohlii root extract, coating agent (hydroxypropylmethylcellulose), African mango (Irvingia gabonensis) seed extract, dihydrocapsiate, water, ginger (Zingiber officinale) root oil, and anti-caking agent (magnesium stearate).



CAUTION: Use only as directed. Not intended for use by persons under 18. Do not use if pregnant or nursing. Consult with your medical professional if you have a medical condition and before starting any diet, supplementation, or exercise program. Use caution when consuming with other products that contain stimulants. A cleansing-like effect may be experienced with initial use, and a general warming sensation may be experienced for several hours after ingestion. These effects typically subside within two or three weeks with continued use. If these or other unusual symptoms persist, discontinue use and consult with a medical professional.